


## 概要

### 製品情報



## WS1.5-TW-PE-11030000080

Spring-cage type Din-Rail TB, connector method: Spring-cage/plug-in connector, Number of connectors: 3, Number of potentials: 1, Cross section: 0.2 mm<sup>2</sup> - 1.5 mm<sup>2</sup>, AWG: 28 - 16, Width: 4 mm, Color: green-yellow, Mounting type: NS 35/7.5, NS 35/15

### 製品の特長

- ☑spring-cage connection technology, good anti-vibration performance;
- ☑Use an ordinary flat-blade screwdriver, you can easily wire and take the wire;
- ☑Grounding structure, protection circuit;
- ☑Can be matched with marker strips to avoid incorrect insertion of wires.

### 製品認証



## 技術データ

### 製品チャート

### 3Dモデル

□

### Wiring data

|                                   |                        |
|-----------------------------------|------------------------|
| Strip length                      | 8~9mm                  |
| Conductor cross section solid     | 0.2~1.5mm <sup>2</sup> |
| Conductor cross section flexible  | 0.2~1.5mm <sup>2</sup> |
| Conductor cross section solid AWG | 28~16                  |

### Environmental conditions

|                                       |                                               |
|---------------------------------------|-----------------------------------------------|
| Ambient temperature (operation)       | -40 °C ~ 105 °C (depending on derating curve) |
| Relative humidity (storage/transport) | 25%~75%                                       |

IEC Electrical parameters

|                     |     |
|---------------------|-----|
| Rated surge voltage | 8KV |
|---------------------|-----|

Environmental protection

|            |                                 |
|------------|---------------------------------|
| REACH SVHC | Lead 7439-92-1                  |
| RoHS       | No excessive harmful substances |

Dimension

|                  |         |
|------------------|---------|
| NS 35/7,5 Height | 34.55mm |
| End plate width  | 2.5mm   |
| NS 35/15 Height  | 42.05mm |
| length           | 62.5mm  |
| width            | 4mm     |
| Height           | 31.55mm |

Overview

|                                           |                             |
|-------------------------------------------|-----------------------------|
| Connection type                           | Pull back spring connection |
| Number of rows                            | 1                           |
| number of connections                     | 3                           |
| Open-end side panels                      | Yes                         |
| Insulation Materials                      | PA                          |
| Flame retardant grade, in line with UL 94 | V0                          |

アクセサリ

Marker

|                |                              |
|----------------|------------------------------|
| Top marker     | ZB4 / WB4                    |
| Side marker    | DEK4                         |
| Marker support | DTH3.5-25×3.5 / DTH3.5-25×12 |

|               |        |
|---------------|--------|
| Warning cover | EEA1.5 |
|---------------|--------|

#### Accessories

|                                                    |            |
|----------------------------------------------------|------------|
| Slotted screwdriver size (Blade thickness x Width) | 0.4×2.5    |
| Adjacent jumper (2P)                               | /          |
| Alternate jumper (2P)                              | /          |
| Staggered jumper (2P)                              | /          |
| End cover                                          | D-WS1.5-TW |

#### Installation

|                               |                                       |
|-------------------------------|---------------------------------------|
| End clamp                     | E-WS N / E-PC-1100A                   |
| Terminal strip marker support | KLM3-20x8 / KLM3-44x8 / DBE-1 / DBE-2 |
| DIN rail                      | NS35/7.5-1000-00A(H)                  |

#### Marking & Installation

|               |       |
|---------------|-------|
| Marking strip | ZB4   |
| Marker cards  | DBE-1 |

#### Accessories

|           |                      |
|-----------|----------------------|
| End cover | D-WS1.5-TW           |
| End clamp | E-WS                 |
| DIN rail  | NS35/7.5-1000-00A(H) |

#### ビジネスデータ

|                    |             |
|--------------------|-------------|
| 注文番号               | 11030000080 |
| パッキングユニット          | 100         |
| 最小注文数量             | 100         |
| 1 個あたりの重量（梱包を含めない） | 9.343       |

